Robert G. Tuell, Jr.	Kolet S. Jull.	<i>(</i> 2,)	072594
17. Transporter 1 Acknowledgement of Receipt of Materials		77	
Printed/Typed Name ULBy D L. F.KE	Signature Like		Month Day Year 0 7 2 5 9 4
18. Transporter 2 Acknowledgement of Receipt of Materials			
Printed/Typed Name	Signature		Month Day Year
19. Discrepancy Indication Space			

20.	Facility	Owner	or Op	erator	Certifica	tion of	receipt	of haza	ardous	materials	covered	by this	manifé	t excep	as not	ed in l	tem	9
rin	ted/Typ	ed Nan	nej			257,375				Sign	ature	Maria de la colonia de la colo						

DO NOT WRITE BELOW THIS LINE

A Z

BOE-C6-0207169

STATE OF STA

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name
Signature
Month Day Year

DO NOT WRITE BELOW THIS LINE

CASE

Z

LAIDEAW ENVIRONMENTAL SERVICES

221 E, "D" ST. • P.O. Box 1175 WILMINGTON, CA 90748-1175 (310) 518-4700 • (800) 955-5359

STOMER/ACCT. NO 240120

work order No. 10813

BILLING ADDRESS

SERVICE ADDRESS

DOUGLOS MIZ 190 TH NORMANDIE! TORRANCE LA

			80.18		
ORDER DATE	DATE TO BE DONE	CUSTOMER P.O. #	ORDERED BY	TELEPHONE#	CONTACT PERSON
UNDER DATE					
	17-25-74	27064- H6098			
	1 000	200,000,000,000,000			COLUMN CONTRACTOR OF THE COLUMN COLUM
REP.] DIV.#`-	DEPARTMENT	CUSTOMER'S EPA#	CUSTOMER'S BD OF EQUAL#	CONTACT PHONE #
That :	T				
	No.				

NAUL 1- LUAD OF DRUMS TO CHEMTECH For DISPOSAL

Arrived at DAC Torrance 0800 Left DAC Torrance 0930

DRIVER COMPLET SERVICES PERFO	RMED P/4	LOAD A	T Dough	43	alian di salah di sa Salah di salah di sa		A commence of the commence of
RET TO	CHEM-TECH YARD	IN 203	Angeles	CA			
- WH W							
START 9 13 Manifest Number 13	STOP TIME 385922	START 83	35.0 END MILES	TRUCK NUMBE 1 7 - 25 - 9 4	R	TRAILER NUMBER	21484 KE

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

nments

Customer Signature Robert D. Snell, J. 07-25-94

PRICING INSTRUCTIONS - DRUMS		AHOSE) XAOW				a :
Clerical	Hrs. @	Per Hr		ener.	36		
Project Manager	Hrs. @	Per Hr	Application 1				
2353 386 First Technician <u>817 (016)</u>		Pertir					
Second Technician	Hrs. O	Per Hr	*				
OH RECRUITM Technician	Hrs. @	Per Hr	»	· ·		OM. TOOMA	awora.
Fourth Technician				-valence			-
Fifth Technician	19075			* 4		Mg. See Market St. See See See	No. Canada I d
Truck#						rzenak Paktor	the Philosophy of
Truck #	3 N 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			energie.			
	Hrs. @	Per Hr		*****			
Commence of the Commence of th							
Sundays, Holldays, and After Ho	iûrs Ø	7,880,2780.00	region in Afrika en en en en en der Afrik	, m 7765 <u>4</u> 3	and the time of the second grown of the second	ent come of the come of the come	
TRANSPORTATION & DISPOSAL FEES T	O TSD FACILITY						
5 Gal. Cans Liquid @		Each			*		
5 Gal. Cans Solid @		Each		N No.	San		
5 Gal. Cans Lab Paci				- Militarian			
55 Gal. Drums Liquic	10	Each		ta di malanda			
55 Gal. Drums Solid		Each					
55 Gal. Drums Lab P	acked	Each		-			
Empty 5 Gal. Cans @		Each		· · · · · · · · · · · · · · · · · · ·		ing the state of t	1.1
Empty 55 Gal. Cans					1		
County Tax		han					THE PROPERTY OF THE PROPERTY O
MATERIALS USED						Valva A	
5 Gal. Cans @		Each .					
33 77 200 113 55 Gal. Drums @		Each		- A -			40-60-6-40-40-40-40-40-40-40-40-40-40-40-40-40-
STATE SATURATE Recovery Drums @ _		Each		Address than			
୧୯୫୫ ନିଅଟି (୧୯୫) ବୁ ୬୬ କର୍ଷ Permiculite ©		Each		-vice/delitere-			en e
Rene (Ather Describe		100 CON 100 CO E	a a a a a a a a a a a a a a a a a a a	5050			***************************************
ON ESOPOTHESE Hazardous Waste Lal	•		Each /			TELHMOOR	10040
Drum Liners @		A Land	Each	V 8 0	A 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	02020 020	
Safety Equipment Number of Set	*	* 7 3 7 1	•				Andread (State Man
	Ņ.)	VN 20	Y) (A)) of	1040
			and a second control of the control		A CAR COLOR	Cart S	Taylor
PRICING INSTRUCTIONS - PUMPING		.13433					There's as the say
13				Partie Partie			imate Bait
Compensation Hrs. @		Per Hr	* d#C	Alterdation of the second of t	<u> </u>		leelinaki
			me of the second	- ************************************			107
Washer Caa				Appropriate Communication Comm		Methilliamen announce a saonna a fa saonna agus agus agus agus agus agus agus agu	
zer of bedfind se finds ytter golfeverg a Dump Fee	olated treneby, th	prietros nedas	t or any trians	inemeerys a	rif fo boo griishe rolle.	AND VIEW OF MICH	70 913 TU
we cover go it with			***	OTAL	25200 1786 262000000		
	V KAPAT					LUE JOIGNA	444 T. 144

	Land States to the Part of the State of the	Aircraft Co	USKPA I.D Hanifest Numb	**: CAD 0865 1000 5	eleganistica de la compositica de la c
his form i estricts t	s submitted to Cham- he land disposal of	certain hesard	Inc. in accordance lous wastes.	with 40 CFR Part 268,	which
**************************************					NOW THE PERSON NAMED IN
· **					
. Identi	fication of the s	vasta Stream	-		
A. The w	este stream is	wastewater	non-w	astewater	
40 CF	ify ALL USEPA hazard R Part 261). Identi 1, .42, .43) if appl	fy the corresp	ers that apply to to onding sub-category	his shipment (as defined (as defined in 40 CFR	13.
•					
	USEPA Hasardous Waste Mumber	Subcategory	USEPA Hazardous Waste Number	Subcategory	•
	N/R			CONTRACTOR	
	7776			CONTROL CONTRO	
	(1	use additional	sheets as necessar	7)	
(In accorder	ment Requirement. The waste enelysis 58.7, please indicat	s of the Was	te Stream:	990° 0000 11000 1000 0000 0000 0000 0000	nchands some one
(In accorder	ment Requirement. The waste enelysis 58.7, please indicat	s of the Was	te Stream:	as defined in	erdenmenten erke
(In accorder 40 CFR 20 regulation	ment Requirement. The waste enelysis 58.7, please indicat	s of the Was) and recordked :e how this was	te Stream: ping requirements a	as defined in	неразментов
(In accordant 40 CFR 20 regulation A. R	ment Requirement. Se with the waste analysis Se.7, please indicatons. Restricted Waste the generator of the	s of the Was and recordise show this was Subject to 3 as restricted was fined in 40 CS RCRA Section 3	te Stream: ping requirements of the is to be managed Treatment (aste which must be TA Part 268 Subpart to 1	as defined in ito comply with the treated to the applicab D and all prohibitions	
(In accordant 40 CFR 20 regulation A. R	ment Requirement. Se with the waste analysis Se.7, please indicatons. Destricted Waste the generator of the ment standard as de in 40 CFR 268.30, Lrement applies to 0	s of the Was and recording the how this was Subject to	te Stream: ping requirements a te is to be managed freatment este which must be R Part 268 Subpert 6004 (d), prior to 1	treated to the applicab D and all prohibitions Land disposal. This	
(In accordant 40 CFR 20 regulation A. R	ment Requirement. The with the waste analysis 58.7, please indicators. Restricted Waste the generator of the ment standard as de-	s of the Was and recording the how this was Subject to	te Stream: ping requirements a te is to be managed freatment este which must be R Part 268 Subpert 6004 (d), prior to 1	treated to the applicab D and all prohibitions Land disposal. This	
(In accordant 40 CFR 26 regulation A. F. I am treat forth requirements of the contract of the	ment Requirement. Second of the waste analysis ons. Restricted Waste the generator of the ment standard as de in 40 CFR 268.30, Lement applies to the covanides,	S of the Was and recordses s how this was Subject to 1 as restricted was fined in 40 CS RCRA Section 3 SEPA hazardous ifornia list of	te Stream: pping requirements of the is to be managed Treatment (aste which must be TA Part 268 Subpart 1004 (d), prior to 1	treated to the applicab D and all prohibitions land disposal. This	
(In accordant 40 CFR 26 regulation A. F. I am treat forth requirements of the contract of the	ment Requirement. 58.7, please indicators. Destricted Waste the generator of the ment standard as defining the standard as defining the standard as defining the following cal	S of the Was and recordses s how this was Subject to 1 as restricted was fined in 40 CS RCRA Section 3 SEPA hazardous ifornia list of	te Stream: pping requirements of the is to be managed Treatment (aste which must be TA Part 268 Subpart 1004 (d), prior to 1	treated to the applicab D and all prohibitions land disposal. This	
(In accordant 40 CFR 26 regulation A. F. I am treat forth requirements of the contract of the	ment Requirement. Second of the waste analysis ons. Restricted Waste the generator of the ment standard as de in 40 CFR 268.30, Lement applies to the covanides,	S of the Was and recordses s how this was Subject to 1 as restricted was fined in 40 CS RCRA Section 3 SEPA hazardous ifornia list of	te Stream: pping requirements of the is to be managed Treatment (aste which must be TA Part 268 Subpart 1004 (d), prior to 1	treated to the applicab D and all prohibitions land disposal. This	

CTS\LDR(1)\7-90

B. Restricted Waste Treated to Performance Standards
The USEPA hazardous waste number(s)
Has/have been treated in compliance with applicable performance standards as defined if 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.
C. Restricted Waste with Technology Based Treatment Standards
I certify under penalty of law that the wasts has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEPA hazardous waste
number(s)
D. Restricted Waste Subject to a Variance or Extension
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USI hazardous waste number(s) B. Restricted Waste can be Land Disposed Without Further Treatment
I am the initial generator of the following USEPA hazardous waste number(5)
I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under panalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. Am awars that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.
I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IN COMPLETE AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.
Signature: Rest B. July G. Title: Senior Plant Engineer Date: 07-25-94
Name of Company Generating the waste: Douglas Aircraft Company

Generator Name: Douglas Arcraft Co USEPA I.D.#: CA DOSGICCOST Chem-Tech Systems Waste T.D. Number: 10328-03 Hanifest Number: 15722 | 93355722 This form is submitted to Chem-Tech Systems, Inc. in accordance with 40 CFR Part 268, which restricts the land disposal of certain hazardous wastes. I. Identification of the Waste Stream A. The waste stream is wastewater non-wastewater B. Identify ALL USEPA hazardous waste numbers that apply to this shipment (as defined in 40 CFR Part 261). Identify the corresponding sub-category (as defined in 40 CFR 268.41, .42, .43) if applicable.

	Hazardous Number	Subcatagory	USEPA Hazardous Waste Number	Subcategory
D022		Chloroform		
D028		Dichloroethane		

(use additional sheets as necessary)

II. Management Requirements of the Wasta Stream:

(In accordance with the waste analysis) and recordkeeping requirements as defined in 40 CFR 268.7, please indicate how this waste is to be managed to comply with the regulations.

X	_	Restricted				man and a second
	Α.	Restricted	Waste	subject	TO	Treatment

treatment standard a	of the restricted waste as defined in 40 CFR Par .30, RCRA Section 3004 (t 268 Subpart D and a d), prior to land dis	ll prohibitions set posal. This
requirement applies	to USEPA hazardous wast	musber(s): Dozz	D028
and/or the following	G California list consti	tuents acid, C	metals,
cyanides, cyanides, standards and method	Hocs, PCBs.	A copy of the appli- -Tech Systems, Inc.	cable treatment

TS\LDR(1)\7-90

L	B. Restricted Waste Treated to Performance Standards
	The USEPA hazardous waste number(s)
	Has/have been treated in compliance with applicable performance standards as defined in 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.
	C. Restricted Waste with Technology Based Treatment Standards
	I certify under panalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant panalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEPA hazardous waste
	number(s)
	D. Restricted Waste Subject to a Variance or Extension
	The restricted waste(s) identified in (I) above is subject to a case-by-case extension, a national capacity variance, or a treatability variance. This variance applies to USEPE hazardous waste number(s)
	E. Restricted Waste can be Land Disposed Without Further Treatment
1	am the initial generator of the following USEPA hazardous waste number(S)
44 24 35 36 30 31	have determined that the waste meets all applicable treatment standards as defined in O CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 68.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore an be land disposed without further treatment. A copy of all applicable treatment tandards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I ertify under penalty of law that I personally have examined and am familiar with the aste through analysis and testing or through knowledge of the waste to support this artification that the waste complies with the treatment standards specified in 40 CFR 68 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 1004(d). I believe that the information I submitted is true, accurate and complete. I meaware that there are significant panalties for submitting a false certification, including the possibility of a fine and imprisonment.
I	HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS COMPLETE AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.
Autho Signa	Ature: Robert G. Juell, Giritle: Senior Plant Engineer 107-25-94
Name	of company Generating the waste: Douglas Aircraft Company

40 CPR	Part 261). Ident42, .43) if app.	Lfy the correspo		his shipment (as de: (as defined in 40 (
268.41,		Licable.		16 <u>1</u>	
L.	USEPA Hazardous Waste Mumber	Subcategory	USEPA Hazardous Waste Number	Subcategory	
	NIR	CONTRACTOR CALABORIST CONTRACTOR SERVICE SERVICES SERVICES CONTRACTOR CONTRAC		A PARTITION OF THE PART	
			The first of the company of the comp		
			The Control of the Co	40.60%	i
(In accordance	.7, please indica) and recordkeep	ping requirements a	as defined in i to comply with the	
	er en		•		
A. Re	stricted Waste	Subject to T	reatment		
treatme forth	ent standard as di	ofined in 40 CFF RCRA Section 30	R Part 268 Subpart 104 (d), prior to]	treated to the appl D and all prohibiti and disposal. This	ons set
	oyanides,	HOCs, C		acid, metals, metals, as applicable treatment.	

Ĺ	B. Restricted Waste Treated to Performance Standards
	The USEPA hazardous waste number(s)
	Has/have been treated in compliance with applicable performance standards as defined in 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.
	C. Restricted Waste with Technology Based Treatment Standards
	I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEFA hazardous waste
	number(s)
	D. Restricted Waste Subject to a Variance or Extension
	The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USEF hazardous waste number(s) E. Restricted Waste can be Land Disposed Without Further Treatment
	I am the initial generator of the following USEPA hazardous waste number(S)
	I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the certify analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004(d). I believe that the information I submitted is true, accurate and complete. I am awars that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.
	I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS COMPLETE AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.
Aut	chorised Of the Twell an Senior Plant Engineer 17-25-94
	of Company Generating the waste: Douglas Aircraft Company
Nad	of Company Generating the waste :

LOHM LOHM BESTONSE EMERGENCY		J,	San San Jane San In	IIIDE 3 V J		V BECDI	EHGENO	M3 TV
	HPPING PAPE	ATERIALS S	M SUOGRA	AH OT 319	IATS—BUI.	031100 4	(Lorp oi	
Use	basic description	n and technic	al name as o	described in	49 CFR 172	.202 and 172	2.203 (K).	
asic Description:								
asic Description.								
echnical Name(s):							EMER(GENCY ONSE
						1		IDE RM

D.O.T. EMERGENCY RESPONSE GUIDE 31

POTENTIAL HAZARDS

FIRE OR EXPLOSION

Some of these materials may burn, but none of them ignites readily.

HEALTH HAZARDS

Contact may cause burns to skin and eyes.
Fire may produce irritating or poisonous gases.
Runoff from fire control or dilution water may cause pollution.

EMERGENCY ACTION

Keep unnecessary people away; Isolate hazard area and deny entry.
Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.
CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE. If water pollution occurs, notify the appropriate authorities.

Small Fires: Dry chemical, CO2, water spray or regular foam Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Do not scatter spilled material with high-pressure water streams. Dike fire-control water for later disposal.

SPILL OR LEAK

Stop leak if you can do it without risk.
Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike far ahead of liquid spill for later disposal.

Cover powder spill with plastic sheet or tarp to minimize spreading.

In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Wash skin with soap and water.

Remove and isolate contaminated clothing and shoes at the site.

Information on this Guide Page is from the 1990 Emergency Response Guidebook Dot P 5800.5. It applies only to the basic Description and Technical Name entered by the shipper at the top of this form.

Check to see whether the shipper commodity (Basic description entered at the top of this form) is listed by I.D.# and NAME OF THE MATERIAL in the Table of Initial Isolation and Protective Action Distances. This Table is partially reproduced on the back of this Guide Page to reflect only commodities assigned to this Guide Number. Use this information from the table in addition to the Guide Page IF THERE IS NO FIRE.

READ AND CHECK THE NAMES AND NUMBERS CAREFULLY BECAUSE COMPLETELY DIFFERENT HAZARDOUS MATERIALS CAN HAVE NAMES AND/OR NUMBERS WHICH ARE ALMOST THE SAME!

ERF 31 Printed by LABELMASTER, Div. of AMERICAN LABELMARK CO., CHICAGO, IL 60646 (800) 521-5808

INITIAL ISOLATION PROTECTION TABLES FOR SELECTED HAZARDOUS MATERIALS

The table gives suggested distances for ISOLATING unprotected people from spill areas involving the hazardous materials shown, IF THE LISTED MATERIAL IS NOT ON FIRE. If the material is on fire, refer to the 2-digit Guide.

These materials were selected because their vapors have the potential to produce poisonous effects. The table is useful for no more than the first 30 minutes of an incident involving these materials. There are several good reasons for suggesting that the use of the table be limited specifically to the initial phase of a <u>no-fire</u> spill incident during transport.

D.O.T. EMERGENCY RESPONSE GUIDE 31

TABLE OF INITIAL ISOLATION AND PROTECTIVE ACTION DISTANCES

USE THIS TABLE WHEN THE MATERIAL IS NOT ON FIRE.

NAME OF MATERIAL

SMALL SPILLS (Leak or spill from a small package or small leak from a large package.) LARGE SPILLS (Leak or spill from a large package or spill from many small packages.)

First ISOLATE in all directions-

Then, PROTECT those persons in the DOWNWIND direction-(Miles) First, ISOLATE in all directions-(Feet) Then, PROTECT those persons in the DOWNWIND direction-(Miles)

No chemicals appear in Table of Isolation and Protective Action Distances which are assigned to this Guide number.

If the chemical name and ID Number the shipper entered on the front of this form match a name from this list, and NO FIRE exists, you must:

determine if the incident involves a small or large spill; look up the isolation distance; (Direct all person to move in a crosswind direction, away from the spill, to that distance.) look up the initial PROTECTIVE ACTION DISTANCE in the table. (For practical purposes, the Protective Action Zone is a square whose length and width are the same as the downwind distance shown in the table.)

WHEN APPROACHING THE SCENE OF AN ACCIDENT INVOLVING ANY CARGO (NOT ONLY REGULATED HAZARDOUS MATERIALS):

- APPROACH INCIDENT FROM AN UPWIND DIRECTION, IF POSSIBLE
- MOVE AND KEEP PEOPLE AWAY FROM INCIDENT SCENE
- DO NOT WALK INTO OR TOUCH ANY SPILLED MATERIAL
- AVOID INHALING FUMES, SMOKE AND VAPORS EVEN IF NO HAZARDOUS MATERIALS ARE INVOLVED
- DO NOT ASSUME THAT GASES OR VAPORS ARE HARMLESS BECAUSE OF LACK OF SMELL—ODORLESS GASES OR VAPORS MAY BE HARMFUL

As a first responder at the scene of a hazardous materials incident, seek additional and more specific information about any material in question as soon as possible. This Guide Page is not intended for use during the cleanup phase for spilled materials, nor should it be used to determine compliance with any regulations. This information on this Emergency Response Form should be augmented by expert technical advice as soon as you have assessed the situation and have seen to the immediate needs of the people involved.

FOR FURTHER INFORMATION REFER TO DOT P 5800.5 (EMERGENCY RESPONSE GUIDEBOOK) AND TITLE 49 CODE OF FEDERAL REGULATIONS.

	1-800-852-7550	
	CALL	
93385922	RESPO. +3E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550	
	1-800-424-8802:	
	4.SE CENTER	
	RESPC.	
	, CALL THE NATIONAL RESPONDS	
	CALL	-
	Y OR SPILL,	
e ···	OF EMERGENCY	
	E OF	-
	ΑS	

e pr	oroved OMB No. 2000-0039 (Expires 9-30-94) int or type. Form designed for use on elite (12-pit	ch) typewriter.		٠.			Sac	ramento, Cal	lifornia	
4	UNIFORM HAZARDOUS	1. Generator's US EPA	A ID No.	Manifest Document	No.	2. Page 1	Information i			
	WASTE MANIFEST	CIADIOISI6	5 1 0 0 0 5	8 5 9	2 2	of 1	is nor require			
ON PERSONAL PROPERTY.	3. Generator's Name and Mailing Address					anifest Document	Number	A. 1000 A.		
	Douglas Aircraft Company Attr	1: Rob Tuell C6-59	9				<u> </u>	<u>859</u>	6.6	
	19503 South Normandle Avenu				California (California)	enerator's ID		ar ye. ye.	10-14	
	4. Generator's Phone ((310) 533-792					Alhaa	<u> 944</u>	<u> 19 9 9 9</u>	24	
	5. Transporter 1 Company Name		US EPA ID Number			ransporter's ID	60			
	Laidlaw Environmental Service	s of CA, Inc. CF	31010101010	3 3 1 2 1	D. Transpo	orter's Phone	(310),518-	44.	
	7. Transporter 2 Company Name	8.	US EPA ID Number		E. State Tr	ansparter's ID				
			1010/		E. Transpo	orter's Phone			**************************************	
	9. Designated Facility Name and Site Address	10/	US ERA/ID Nymber		G. State F	acility's ID				
The state of the s	Chem-Tech Systems								il e	
	3650 East 26th Street		Alasana		H. Facility	s Phone	7943) 1260	505	
	Los Angeles, CA 90023		1/1/0/8/0/0/3	12. Cont	eteore	13. Total	14. Unit	<u> </u>		
	11. US DOT Description (including Proper Ship	ping Name, Hotard Clas	s, and ID Number)	No.	Туре	Quantity	Wt/Vol 1	. Waste Nu	mber	
	Hazardous waste, liquid,	ndend NA	3082 PG III					State	34	
G		7.70	9002, 7 0 111	200	DM	10 17 1615	Р	EPA/Other		
E	(D022, D028)			0119	1. 1. 1.	18 13 15 10	<u> </u>	State		
N	Penetrant Oil					T. Carlo		100		
R	Non-RCRA hazardous w	vaste liquid		01/2	DM,	5 5000	P	EPA/Other	N	
A	2 C 2 SA				'			State	21.	
o	Diësel and water / M				- N R		р	SPA/Other		
R	Non-RCRA hazardalis w	/ast∕e liqu		003	LIVI	1200				
	d. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				\. •	The state of the s		State		
and the second	$(\mathcal{W}/\mathcal{N})$				\ ,		Ī	PA/Cities		
	I. Additional Descriptions (of Materials Listed)	/			K. Handlin	g Codes for Wast	s Listed Abov	ver.		
O MARKAGE O	11a, 110328-03, Purbe Water, A	dutional EPA A			a,		b.			
	11b. 110909. Fluorescent Pene	trent cli			414					
	11c. 240705-01. Diesel and Wat	en.	100		6 .		d.			
	15. Special Handling Instructions and Addition	al Information					## (
	24 Hour emergency teleph	one number (800) 424- 9300	(Chemtre	c). DC	T ERG# 1	1a) 31 b) 31 c)	31	
			•						- Control of Control o	
	16. GENERATOR'S CERTIFICATION: I hereb	y declare that the content	ts of the consignment are t	ully and accurately	described	above by proper s	hipping name	and are cla	assified,	
	packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.									
	If I am a large quantity generator, I cert	tify that I have a progra	m in place to reduce the	volume and toxici	ty of waste	generated to the	degree I hav	re determine	ed to be	
	economically practicable and that I have threat to human health and the environment	ent; OR, if I am a small	quantity generator, I have	age, or disposai cu e made a good fa	ith effort to	minimize my was	te generation	and select	the best	
	waste management method that is availab	le to me and that I can a	fford. Signature		· · · · · · · · · · · · · · · · · · ·		Month		Year	
	Printed/Typed Name Robert G. Tuell, Jr.	· · · · · · · · · · · · · · · · · · ·	Signatore	•						
Ţ	17. Transporter 1 Acknowledgement of Receip	it of Materials					1 11 11	D	Year	
K A N	Printed/Typed Name	•	Signature				Month	Day	redr	
S P O	18. Transporter 2 Acknowledgement of Receip	t of Materials							h	
R T	Printed/Typed Name		Signature				Month	n Day	Year	
R			<u> </u>							
_	19. Discrepancy Indication Space									
F A C					;		٠		j	
1										
L I T	20. Facility Owner or Operator Certification o	f receipt of hazardous mo	aterials covered by this mo	anifest except as no	oted in Item	19.	Month	n Day	- Year	
Ý	Printed/Typed Name		- grand					1 1		
			<u> 1</u>							

DO NOT WRITE BELOW THIS LINE.

Purchase Order #

7853

Laidlaw Environmental Services of CA, Inc. Purchase Requisition

10:	**************************************			_2ulb_10;			
		421	NTECH		***	·	
				_Bill To: _	Laidlaw Env P.O. Box 11 Wilmington	75	
P.O. Date	Delivery Date		Vendor Number	Ship Via	F.O.B	Terms	Tax Information
	-				Destination		No-Tax
Profit. Center	GL Acct		AFE Number	Capital Amount	Capital New/Chg	Requis	itioner
516-500							
Item #	Quantity	Unit	Description		Part #	Unit Price	Total
1	70	ea	DRUMS FOR				\$0.00
2			DISPOSAL				2500 00
3 4							* .
5						7	<u> </u>
6							
7							
8							
9							
10							
					:	·	
					1		9
	Rebillable?	· · · · · · · · · · · · · · · · · · ·	Yes	No			2500 00
		1012				······································	
			GLAS				
	SWO#	<u> </u>		Rebilled \$		······································	
A	Approval #						·
Requested	Ву:	2 ر ح	m [Date: 7. 2	2.94	Tax	
Approved E	ву: \/]	Date:		Shipping	
Approved E	Ву:			Date:		TOTAL	\$0.00